



The  
Patent  
Office




INVESTOR IN PEOPLE

**PRIORITY  
DOCUMENT**

SUBMITTED OR TRANSMITTED IN  
COMPLIANCE WITH RULE 17.1(a) OR (b)

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales

NP10 8QQ




I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



*P. Mahoney*

Signed

Dated 2 February 2000

**THIS PAGE BLANK (USPTO)**

- 2 FEB 1999

1/77  
9902225.3  
9902225.3

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)

The Patent Office

Cardiff Road  
Newport  
Gwent NP9 1RH

|   |  |   |  |
|---|--|---|--|
| 1. Your reference   | MTW 50697  |   |  |
| 2. Patent application number<br>(The Patent Office will fill in this part)  | 9902225.3  |   | - 2 FEB 1999                           |
| 3. Full name, address and postcode of the or of each applicant (underline all surnames)   | QUEST INTERNATIONAL B.V.<br>HUIZERSTRAATWEG 28<br>1411 GP NAARDEN<br>THE NETHERLANDS |   |  |
| Patents ADP number (if you know it)   | 6329557002   |   |  |
| If the applicant is a corporate body, give the country/state of its incorporation   | NETHERLANDS  |   |  |
| 4. Title of the invention   | DETERGENT COMPOSITION  |   |  |
| 5. Name of your agent (if you have one)   | HUMPHRIES, MARJ  | Keith W Nash & Co                               |  |
| "Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)   | ICI GROUP INTE<br>PO BOX 90, WIL<br>CLEVELAND, ENG                                   | 90-92 Regent Street<br>CAMBRIDGE<br>CB2 1DP     |  |
| FS1/77  | 712  | 1206001   |  |
| Patents ADP number (if you know it)   |  |   |  |
| 6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (if you know it) the or each application number  | Country  | Priority application number<br>(if you know it) | Date of filing<br>(day / month / year) |
| 7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application   | Number of earlier application  | Date of filing<br>(day / month / year)          |  |
| 8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (Answer 'Yes' if:<br>a) any applicant named in part 3 is not an inventor, or<br>b) there is an inventor who is not named as an applicant, or<br>c) any named applicant is a corporate body.<br>See note (d)) | YES  |   |  |

**Patents Form 1/77**

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

|                                  |    |
|----------------------------------|----|
| Continuation sheets of this form | -  |
| Description                      | 17 |
| Claim(s)                         | 2  |
| Abstract                         | 1  |
| Drawing(s)                       | -  |



10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patents Form 9/77)

(1)

Request for substantive examination (Patents Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application.  
IMPERIAL CHEMICAL INDUSTRIES PLC

Signature

Date 1 FEB 99



12. Name and daytime telephone number of person to contact in the United Kingdom

MARTYN HUMPHRIES (01642) 437419

**Warning**

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given or any such direction has been revoked.

**Notes**

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

## Detergent Composition

### Field of the Invention

This invention concerns detergent compositions, and in particular such compositions  
5 comprising an encapsulate containing an active material, and products, particularly laundry liquids, incorporating such compositions.

### Background to the Invention

Encapsulation is a well known technique for presenting active materials such as fragrance,  
flavour, colouring materials etc. Encapsulate systems fall into two main types: those in  
10 which the active material is surrounded by a wall or barrier; and those in which the active material is encapsulated in the matrix of a material. One form of matrix encapsulate is based on a matrix of cross-linked alginate gels.

Alginates are naturally occurring colloids which are normally extracted from brown seaweed (Phaeophyceae), which are used mainly in the form of sodium salts. Sodium alginates give  
15 very viscous solutions with water and can be irreversibly cross-linked to form thermally stable gels by interaction with divalent or trivalent metal ions, typically calcium ions. Using this interaction, active materials may be encapsulated or entrapped in an alginate gel matrix. The colloid is principally alginic acid which is made up of three kinds of polymer segments, one segment containing D-mannuronic acid units; a second segment containing  
20 L-guluronic acid; and a third segment containing alternating D-mannuronic and L-guluronic acid residues, joined by 1:4 glycosidic linkages. The proportions of the three polymer segments in alginic acid samples give rise to different properties, for example, the alginate from Laminaria hyperborea, with a large percentage of polyguluronate segments, forms rigid, brittle gels which tend to undergo syneresis.

25 There is a large amount of literature in the area of fragrance encapsulation, not only to provide fragrance stability but also to develop a fragrance delivery system which provides a perceivable sensory effect. To this end, numerous systems have been tested but there are currently no detergent compositions, for example laundry liquids, in the market place which utilise an alginate based encapsulation system containing fragrance.

30 US 4389419 (Lim) concerns capsules of oil soluble nutrients such as vitamins which are formed by making an emulsion of sodium alginate with the nutrient and with optional

alcohol-insoluble polysaccharide filler or extender such as dextran, sodium carboxy methyl cellulose, methyl cellulose, dextrans and some soluble starches and sodium carboxy cellulose, and adding the emulsion as droplets to an alcoholic solution containing calcium chloride to give solid capsules.

- 5 EP 0202819A (Warner Lambert) discloses encapsulates formed by mixing alginate with active ingredient, particularly to produce a dispersion, and crosslinking the alginate by exposure to divalent cations, for example by spraying the dispersion into calcium chloride to produce particles eg up to 10 micron in diameter. The encapsulates may be used particularly in chewing gum, but also in confectionary, foods, pharmaceuticals, toothpaste  
10 etc.

WO 92/20771 (Allied Colloids Ltd.) discloses a particulate composition comprising particles having a substantially anhydrous core comprising a matrix polymer containing active ingredient, a layer of hydrophobic oil around the core, and a shell of polymer around the oil layer. The active ingredient is disclosed as a detergent enzyme.

- 15 EP 0626445 A2 (Allied Colloids Ltd.) discloses a liquid composition comprising a substantially stable dispersion in a liquid phase of particles which have a size below 20µm and which comprise a detergent enzyme and protective polymeric material which is impermeable to the liquid detergent concentrates, but which releases the enzyme when agitated in aqueous wash liquor.
- 20 EP 0266 796 B1 (Showa Denko Kabushiki Kaisha) discloses a water-soluble microcapsules, containing enzymes, which are stably retained in a concentrated aqueous solution containing an agent such as a surfactant and are readily dissolved in water or a dilute aqueous solution. The water-soluble microcapsules utilise a coating material, specifically polyvinyl alcohol with an average degree of polymerisation in the range of 200  
25 to 3,000 and a saponification ratio of not less than 90%. The core material is disclosed as a water-containing polyhydroxy compound.

- US 5281355 (Lever Brothers company) discloses a heavy duty liquid composition comprising (1) a capsule comprising a component or components normally subject to degradation by components of these compositions, and (2) a composite polymer forming a  
30 network in which the component(s) are entrapped and from which network the component(s) are released upon dilution of the concentrated liquids. The composite emulsion copolymer in turn comprises a hydrophilic portion i.e., hydrophilic polymer

attached to a hydrophobic particles and a hydrophobic polymer core portion wherein the hydrophilic portion comprises hydrophilic water soluble polymer or polymers physically or chemically attached to said hydrophobic polymer particles.

GB-A-1 390 503 (Unilever Limited) relates to a liquid aqueous detergent composition  
5 containing capsules which are insoluble in the composition, but which release their contents when the composition is diluted with water, due to the change in ionic strength of the liquid environment of the capsules. The patent discloses capsules containing core material and having at their surface water-soluble polymer gel, in which the electrolyte and its concentration in the medium, and the polymer gel are such that the polymer gel is insoluble  
10 in the medium, but dissolves with release of the core material when the composition is diluted with water, preferably the polymer gel forms a wall surrounding the core material.

Copending PCT patent application number GB98/03345 is directed at alginate encapsulates, and in particular the use thereof in toothpaste.

The present invention provides a detergent composition which utilises an alginate based  
15 encapsulate containing active material, which dissolves on dilution resulting in release of the active material.

#### Summary of the Invention

In one aspect the present invention provides a liquid detergent composition comprising greater than 5% by weight of surfactant and an encapsulate comprising greater than 10%  
20 by weight of the encapsulate of active material, in an alginate matrix.

The invention also provides a liquid detergent composition comprising greater than 5% by weight of surfactant and an encapsulate comprising greater than 0.5% by weight of the encapsulate of fragrance, in an alginate matrix.

The invention further provides a laundry liquid comprising greater than 5% by weight of  
25 surfactant and an encapsulate comprising active material in an alginate matrix.

The present invention is particularly directed to provide a dilution release encapsulate containing fragrance as the active material, preferably for laundry liquids, which can be incorporated into a laundry liquid base, is stable on storage yet dissolves on diluting the product, releasing the active material. The invention also provides for a visual effect in the

product, contributing to its appeal, which can enhance both active intensity and longevity. There is also the opportunity to deliver novel effects e.g. change of fragrance during the wash, or protection of enzymes against degradation.

The active is preferably in the form of an emulsion or dispersion in the alginate matrix, and may be selected from a wide range of different materials, depending on the intended use of the encapsulate, including, for example, fragrance materials, conditioning oils, abrasives, colouring materials, enzymes such as protease, amylase, cellulase or lipase, therapeutic agents such as anti-bacterial agents, etc. The active material is preferably substantively insoluble in water, and/or preferably sufficiently large (eg preferably having a molecular weight of at least 5000) to be retained by the alginate. Suitable materials are well known. The active material is preferably a fragrance. A mixture of active materials may be used.

The active material may be present in relatively large amounts, typically constituting up to 60% by weight of the total weight of the encapsulate. The active material is typically present in an amount in the range from 10 to 50%, preferably 20 to 40%, and more preferably 25 to 30% by weight of the encapsulate. By the term "% by weight of the encapsulate" is meant relative to the weight of all encapsulate ingredients, including water etc.

The nature of the fragrance is not critical. As is well known, a fragrance normally contains a mixture of a number of perfumery materials. The number of perfumery materials in a fragrance is typically ten or more. The range of fragrant materials used in perfumery is very wide; the materials come from a variety of chemical classes, but in general are water-insoluble oils. In many instances, the molecular weight of a perfumery material is in excess of 150, but does not exceed 300. The fragrance is preferably present at a concentration of greater than 1%, and more preferably greater than 5% by weight of the encapsulate.

The fragrances used in the present invention can be mixtures of conventional perfumery materials. Perfumery materials which may be used include: acetyl cedrene, 4-acetoxy-3-pentyltetrahydropyran, 4-acetyl-6-t-butyl-1,1-dimethylindane, available under the trademark "CELESTOLIDE", 5-acetyl-1,1,2,3,3,6-hexamethylindane, available under the trademark "PHANTOLIDE", 6-acetyl-1-isopropyl-2,3,3,5-tetramethylindane, available under the trademark "TRASEOLIDE", alpha-n-amylocinnamic aldehyde, amyl salicylate, aubepine, aubepine nitrile, aurantion, 2-t-butylcyclohexyl acetate, 2-t-butylcyclohexanol, 3-(p-t-butylphenyl)propanal, 4-t-butylcyclohexyl acetate, 4-t-butyl-3,5-dinitro-2,6-dimethyl



- acetophenone, 4-t-butylcyclohexanol, benzoin siam resinoids, benzyl benzoate, benzyl acetate, benzyl propionate, benzyl salicylate, benzyl isoamyl ether, benzyl alcohol, bergamot oil, bornyl acetate, butyl salicylate, carvacrol, cedar atlas oil, cedryl methyl ether, cedryl acetate, cinnamic alcohol, cinnamyl propionate, cis-3-hexenol, cis-3-hexenyl
- 5 salicylate, citronella oil, citronellol, citronellonitrile, citronellyl acetate, citronellyloxyacetaldehyde, cloveleaf oil, coumarin, 9-decen-1-ol, n-decanal, n-dodecanal, decanol, decyl acetate, diethyl phthalate, dihydromyrcenol, dihyromyrcenyl formate, dihydromyrcenyl acetate, dihydroterpinyl acetate, dimethylbenzyl carbinyl acetate, dimethylbenzylcarbinol, dimethylheptanol, dimethyloctanol, dimyrcetol, diphenyl oxide, ethyl
- 10 naphthyl ether, ethyl vanillin, ethylene brassylate, eugenol, florocyclene, geraniol, geranium oil, geranonitrile, geranyl nitrile, geranyl acetate, 1,1,2,4,4,7-hexamethyl-6-acetyl-1,2,3,4-tetrahydronaphthalene, available under the trademark "TONALID", 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylcyclopenta-2-benzopyran, available under the trade mark "GALAXOLIDE", 2-n-heptylcyclopentanone,
- 15 3a,4,5,6,7,7a-hexahydro-4,7-methano-1(3)H-inden-6-ylpropionate, available under the trademark "FLOROCYCLEN", 3a-4,5,6,7,7a-hexahydro-4,7-methano-1(3)H-inden-6-ylacetate, available under the trademark "JASMACYCLEN", 4-(4'-hydroxy-4'-methylpentyl)-3-cyclohexenecarbaldehyde, alpha-hexylcinammic aldehyde, heliotropin, Herculyn D, hexyl aldol, hexyl cinnamic aldehyde, hexyl salicylate,
- 20 hydroxycitronellal, i-nonyl formate, 3-isocamphylcyclohexanol, 4-isopropylcyclohexanol, 4-isopropylcyclohexyl methanol, indole, ionones, irones, isoamyl salicylate, isoborneol, isobornyl acetate, isobutyl salicylate, isobutylbenzoate, isobutylphenyl acetate, isoeugenol, isolongifolanone, isomethyl ionones, isononanol, isononyl acetate, isopulegol, lavandin oil, lemongrass oil, linalool, linalyl acetate, LRG 201, 1-menthol,
- 25 2-methyl-3-(p-isopropylphenyl)propanal, 2-methyl-3-(p-t-butylphenyl)propanal, 3-methyl-2-pentyl-cyclopentanone, 3-methyl-5-phenyl-pentanol, alpha and beta methyl naphthyl ketones, methyl ionones, methyl dihydrojasmonate, methyl naphthyl ether, methyl 4-propyl phenyl ether, Mousse de chene Yugo, Musk ambrette, myrtenol, neroli oil, nonanediol-1,3-diacetate, nonanol, nonanolide-1,4, nopol acetate,
- 30 1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-acetyl-naphthalene, available under the trademark "ISO-E-SUPER", octanol, Oppoponax resinoid, orange oil, p-t-amylcyclohexanone, p-t-butylmethylhydrocinnamic aldehyde, 2-phenylethanol, 2-phenylethyl acetate, 2-phenylpropanol, 3-phenylpropanol, para-menthan-7-ol, para-t-butylphenyl methyl ether, patchouli oil, pelargene, petitgrain oil, phenoxyethyl
- 35 isobutyrate, phenylacetaldehyde diethyl acetal, phenylacetaldehyde dimethyl acetal, phenylethyl n-butyl ether, phenylethyl isoamyl ether, phenylethylphenyl acetate, pimento leaf oil, rose-d-oxide, Sandalone, styrallyl acetate, 1,1,4,4-tetramethyl-6-acetyl-7-

ethyl-1,2,3,4-tetrahydronaphthalene, available under the trademark "VERSALIDE",  
 3,3,5-trimethyl hexyl acetate, 3,5,5-trimethylcyclohexanol, terpineol, terpinyl acetate,  
 tetrahydrogeraniol, tetrahydrolinalool, tetrahydromuguol, tetrahydromyrcenol, thyme oil,  
 trichloromethylphenylcarbinyl acetate, tricyclodecenyl acetate, tricyclodecenyl propionate,  
 5 10-undecen-1-al, gamma undecalactone, 10-undecen-1-ol, undecanol, vanillin, vetiverol,  
 vetiveryl acetate, vetiver oil, acetate and propionate esters of alcohol in the list above,  
 aromatic nitromusk fragrances, indane musk fragrances, isochroman musk fragrances,  
 macrocyclic ketones, macrolactone musk fragrances, and tetralin musk fragrances.

The fragrance may be present in known manner in solvents or diluents, such as ethanol,  
 10 isopropanol, diethylene glycol monoethyl ether, dipropylene glycol, diethyl phthalate and  
 triethyl citrate.

Fragrances which are used in this invention may, if desired, have deodorant properties, for  
 example, as disclosed in US-A-4303679, US-A-4663068 and EP-A-545556.

The alginate is conveniently in the form of a sodium salt, and is preferably an alginate  
 15 having a high percentage of polyguluronic acid units (known as high-G alginates) as these  
 produce encapsulates with improved stability on storage. Suitable alginates are  
 commercially available and include, for example, the high G alginate Manugel DMB  
 (Manugel is a Trade-Mark) supplied by Nutrasweet Kelco. The aforementioned alginates  
 provide a strong structure, which can for example be incorporated into a detergent  
 20 composition using standard mixing techniques, and which keep the rigidity of the capsules  
 on storage.

The alginate is typically present in an amount of up to about 5% by weight of the  
 encapsulate. Good results have been obtained at lower levels, eg constituting about 1% or  
 less of the weight of the encapsulate. The weight ratio of active material to alginate is  
 25 preferably in the range 5:1 to 300:1, more preferably 10:1 to 100:1, most preferably 20:1 to  
 60:1. The use of high weight ratios of active to alginate gives a cost-effective product with  
 good release of active material, preferably fragrance, on dilution.

The alginate and active material, where liquid, form an emulsion, and are preferably formed  
 into an emulsion by use of an emulsifying agent. The emulsifying material is preferably a  
 30 water soluble polysaccharide, with a molecular weight of greater than 10,000. For example  
 hydroxy cellulosic materials, a polysaccharide derived from the monosaccharide glucose,  
 such as hydroxyethyl cellulose (HEC), hydroxypropyl cellulose (HPC) and

- hydroxypropylmethyl cellulose, or other polysaccharides containing different sugar monosaccharides where some of the primary alcohol groups of the polysaccharide have been oxidised to form uronic acid, for example D-glucuronic acid formed by the oxidation of the primary alcohol groups of glucose. Other examples include D-mannuronic acid and
- 5 D-galacturonic acid. Such polysaccharides and their derivatives include Pectins, gum Tragacanth, alginates, propylene glycol alginate, gum Arabic and gum Ghatti. Combinations of different gums can also be used to achieve superior emulsion stability, such as the combination of propylene glycol alginate and pectins. These materials, particularly propylene glycol alginate, have good emulsifying properties and result in
- 10 encapsulates with good stability.

Alternatively, the emulsifying material is a water soluble synthetic resin such as polyvinyl alcohol which has excellent film-forming, adhesion and emulsifying properties. Superior emulsion stability can be gained from using a grade of polyvinyl alcohol with a low hydrolysis level and low molecular weight.

- 15 The emulsifying agent preferably has a molecular weight (weight average) greater than 10,000, more preferably greater than 25,000, particularly less than 2,000,000, and especially less than 1,000,000.

The emulsifying agent is typically present in an amount in the range from 0.2 to 5%, more preferably 0.3 to 2% and particularly 0.5 to 1% by weight of the encapsulate.

- 20 The encapsulates preferably contain little or no materials which would act to solubilise the active material, such as most surfactants with a molecular weight of less than 5000, possibly resulting in leaching of the active material from the encapsulates over time. Some common surfactants such as Tween 20 (polyoxyethylene (20) sorbitan monolaurate ex ICI - Tween 20 is a Trade Mark) may have this effect, and so preferably should be avoided.
- 25 The encapsulate conveniently also comprises a colouring material in the form of a pigment or oil soluble colour, eg titanium oxide for white colour, for aesthetic reasons to produce an attractive coloured product instead of a clear or colourless product.

- The encapsulate may also contain performance enhancing ingredients which increase the delivery of the active material onto surfaces, for example polymer particles disclosed in WO
- 30 98/28398.

The encapsulate preferably comprises in the range from 40 to 90%, more preferably 60 to 80%, and particularly 70 to 75% by weight of solvent, usually water, preferably distilled water....

Alginate encapsulation is a known technique, and methods for producing encapsulates used in the present invention, eg using techniques discussed in the prior art mentioned above, are known to those skilled in the art. The method conveniently involves mixing alginate, active material, emulsifying agent and water to produce an aqueous emulsion, eg using high shear mixing, and contacting droplets of the emulsion with an aqueous solution of those divalent or trivalent metal ions known to form insoluble gels, such as calcium and zinc, eg by spraying the emulsion into calcium chloride solution. Therefore, by preparing an emulsion of an alginate solution and active material and adding this, drop wise, into a calcium chloride solution, spherical encapsulates are formed. Encapsulates of generally spherical form are produced virtually instantaneously by the known irreversible cross-linking reaction of alginate. The encapsulates can then be washed and stored in a hydrated form prior to use or they can be dried using drying techniques known to those skilled in the art. The capsules can then be dosed into a detergent composition, such as a laundry liquid base, and on diluting the product, the capsules dissolve releasing the active material.

By varying factors including emulsion viscosity, speed of spraying, droplet travel distance, droplet size etc in known manner, encapsulates of desired size can be produced. For most purposes, encapsulates having a diameter in the range 0.1 to 3 mm, preferably 0.3 to 1 mm, are suitable. Encapsulate properties may also be affected to some extent by the time of contact with the calcium chloride or similar solution.

The encapsulates used in the present invention can also be prepared whereby the active material is surrounded by a wall or barrier of alginate. Methods of making these encapsulates are known to those skilled in the art.

Detergent compositions according to the present invention include laundry liquids or fabric detergent products, personal washing products, and household cleaning products.

The laundry liquid comprises an aqueous or non-aqueous liquid phase containing detergent material, encapsulates as described herein, with or without additional suspended solid material.

Surfactants useful as detergents, such as in laundry liquids, include well-known anionic, nonionic, amphoteric and zwitterionic surfactants. Typical of these are the alkyl benzene sulphonates, alkyl sulphonates, alkyl- and alkyl ether sulphates, primary alkyl sulphates, alkoxyated alcohols, alpha-sulphonates of fatty acids and of fatty acid esters, alkyl  
5 betaines, and alkyl polyglycosides all known in the detergent art. The detergent is preferably present in a quantity of at least 5%, more preferably at least 10% by weight of the composition, and may well be in a quantity not exceeding 50%, more preferably not exceeding 40%, and particularly not exceeding 30% by weight of the composition. The laundry liquid preferably contains from 10 to 30% by weight of the composition of detergent  
10 material. By the term "% by weight of the composition" is meant relative to the weight of all composition ingredients, including solvent etc.

The laundry liquid preferably contains a builder, which is a material which functions to soften hard water by solubilisation or other removal of polyvalent cations such as calcium and to a lesser extent magnesium salts responsible for water hardness compounds, eg  
15 soluble inorganic builders especially exemplified by sodium tripolyphosphate, sodium silicate and carbonates. Thus, builders are added to laundry detergent formulations to counter the detrimental effect of polyvalent cations on detergency, but they are also used to increase the efficiency and effectiveness of surfactants as detergents and to supplement their beneficial effects on soil removal. Soil dispersions are achieved by the builder  
20 decreasing the solubility of the surfactant in the bath, which promotes their adsorption onto substrate and soil particles. Builders are also used for alkalinity and buffering as high pH increases the negative potentials at soil substrate and promotes cleaning. Buffering is necessary to prevent soil and substrate components from lowering the pH, which results in lowering the surface potentials. The pH of the laundry liquid is preferably in the range  
25 from 7 to 12, more preferably 8 to 11, and particularly about 10.

Common insoluble inorganic detergency builders are zeolites. Organic builders such as sodium citrate and polyacrylate can also be used. The builder component of a laundry liquid is preferably in the range from 5 to 80%, more preferably 10 to 60%, and particularly 10 to 40% by weight.

30 The laundry liquid preferably contains a water-soluble builder salt, which is partially dissolved and partially suspended in an aqueous liquid phase.

We have surprisingly discovered that encapsulates as described herein are particularly stable when the detergent material comprises anionic surfactant, in the presence of a high

concentration of builder. A particularly preferred laundry liquid comprises (i) in the range from 5 to 50%, more preferably 5 to 40%, and particularly 5 to 30% by weight of anionic surfactant as detergent, (ii) in the range from 5 to 80%, more preferably 10 to 60%, and particularly 10 to 40% by weight of builder, and (iii) in the range from 0.2 to 12%, more preferably 0.4 to 4%, and particularly 0.8 to 2% by weight of encapsulate as disclosed herein.

The encapsulates remain intact in the laundry liquid over prolonged storage and retain most of the active material. However, once the product is diluted, the surfactant becomes more soluble and works in combination with the builder to dissolve the encapsulate releasing the active material.

The laundry liquid may also contain other ingredients such as bleaches, bleach activators, alkaline silicate, soil release agents, anti-redeposition agents such as sodium carboxymethyl cellulose, enzymes, fabric softening agents including softening clays, fluorescent brighteners, antifoam agents or conversely foam boosters, and fillers such as sodium sulphate.

The laundry liquid preferably contains in the range from 0.1 to 3%, more preferably not greater than 1.5%, and particularly not greater than 1% by weight of fragrance, at least partially carried by encapsulate particles as described herein. The encapsulates preferably comprise at least 5%, more preferably at least 20%, particularly in the range from 40 to 60%, and especially 35 to 50% by weight of the fragrance present in the laundry liquid. The encapsulates are preferably added to the laundry liquid after any manufacturing steps involving heat (e.g. spray drying). Thus, encapsulates may be added to the laundry liquid, typically by mixing them into the preformed liquid detergent composition. The encapsulates may be added as dry particles, or preferably as an aqueous slurry.

The laundry liquid is of generally conventional formulation, eg as disclosed in US 5,281,355. A particularly preferred laundry liquid is a heavy duty, concentrated laundry liquid in which the builder system is typically present in an amount in the range from 10 to 80%, more preferably 25 to 60%, and particularly 30 to 50% by weight of the product.

The builder system in heavy duty laundry liquids is typically made up from a combination of sequestrants, deflocculants, dispersants, and alkaline buffers. This includes ingredients such as phosphates, typically sodium or potassium polyphosphates and especially sodium tripolyphosphate, sodium silicates and carbonates that precipitate polyvalent cations as

their insoluble silicates, carbonates, or hydroxides are also used. Other ingredients used as builders are citrates, aluminosilicates, borate's, 'dequest' (Ethylene diamine tetra methylene phosphoric acid) and EDTA (Ethylene diamine tetra-acetic acid).

5 The encapsulates themselves will introduce polyvalent cations into the wash system on dilution of the product, as they contain calcium ions. However, this does not impart any detrimental effect to the cleaning process as the builder system can be adjusted to compensate for this.

10 Personal washing products include products such as hair shampoos or shower gels. These typically contain from 5 to 40% by weight of the product of detergent material which is anionic, amphoteric, nonionic or a mixture of these, especially a mixture of anionic and/or amphoteric surfactants.

15 Such personal washing products will frequently include other materials, especially 0.01 to 3% by weight of cationic polymer and/or 0.1 to 10% by weight of silicone to deposit on skin or hair. Preferred personal washing products also comprise electrolyte, such as sodium, potassium, calcium, zinc, and/or magnesium salts, more preferably in the range from 0.1 to 10%, particularly 0.5 to 5%, and especially 1 to 3% by weight, in order to achieve improved stability of the encapsulates. By the term "% by weight" is meant relative to the weight of all ingredients, including solvent etc. The pH of the personal washing products is preferably in the range from 4 to 7, more preferably 5 to 6.

20 Preferably the personal washing products will be of desirable viscosities, so as to be pourable or squeezable, and yet will not be so thin that they run uncontrollably. The desired viscosity range is approximately 1,000 to 15,000 centipoises at room temperature (25°C) and low shear rate, preferably 3,000 to 6,000 centipoises at 10 sec<sup>-1</sup> shear rate.

25 Personal washing products preferably contain in the range from 0.5 to 5% by weight of fragrance, at least partially carried by encapsulate particles as described herein. The encapsulates preferably comprise at least 5%, more preferably at least 20%, particularly in the range from 40 to 60%, and especially 35 to 50% by weight of the fragrance present in the personal washing product.

30 Household cleaning products can be used to clean hard inanimate surfaces such as walls, floors, toilets, and furniture etc. They are preferably aqueous liquids containing detergent material and/or polymeric thickener. Other common ingredients are solvents and bleach.

These products typically contain from 5 to 20% detergent and also preferably comprise electrolytes such as sodium, potassium, calcium, zinc and/or magnesium salts, preferably in the range from 0.1 to 10%, particularly 0.5 to 5% and especially 1 to 3% by weight, in order to achieve improved stability of the encapsulate. Product viscosity will frequently exceed 100 centipoise at 10 sec<sup>-1</sup> shear rate and a range of 200 to 2000 centipoise at 10 sec<sup>-1</sup> shear rate is preferred. The pH of the household cleaning product is preferably in the range from 4 to 10.

Household cleaning products preferably contain in the the range from 0.5 to 3% by weight of fragrance, at least partially carried by encapsulate particles as disclosed herein. The encapsulates preferably comprise at least 5%, more preferably at least 20%, particularly in the range from 40 to 60%, and especially 35 to 50% by weight of the fragrance present in the household cleaning product.

Encapsulate stability can also be improved by the use of a further additive to the capsule formulation to increase the barrier properties of the system. These include gums which are crosslinked by other ions such as Carrageenan (cross-linked with calcium and potassium ions) or Gellan gum (cross-linked with potassium, sodium, calcium and magnesium ions) or the addition of colloidal silica to the formulation, which not only increases the barrier properties but also acts as an emulsifier. Alternatively the addition of a gum which interacts with the alginate itself can be added to the formulation such as sodium carboxymethyl cellulose. These methods are effective at reducing the leaching of the active material during storage.

The encapsulates will normally be colourless and so not be visually apparent in the product, however if the encapsulates include a colouring material or dye they will be visible in the detergent composition possibly providing a pleasing visual effect that will be readily apparent if the product is presented in a transparent package.

The detergent composition according to the present invention may comprise a suspending agent which prevents sedimentation or floating of the encapsulates. Suitable materials are known, and include xanthan gum and cross-linked polyacrylic acid resins.

Comparative tests have shown that a given amount of fragrance material in a detergent composition according to the present invention produces a stronger fragrance effect, thus providing possibilities for reducing fragrance material usage in product, with consequential cost savings.



The invention is further illustrated by reference to the following Examples.

Example 1

Fragrance encapsulates were prepared by mixing using a high shear Silverson mixer the following ingredients (amounts specified in % by weight) to form an emulsion.

|    |   |          |
|----|---|----------|
| 5  |   | Weight % |
|    | Sodium Alginate (Manugel DMB)                                       | 0.8      |
|    | Polyvinyl alcohol KL.05 (Gohsenol)                                  | 1.0      |
|    | Distilled water   | 72.2     |
|    | Fragrance A*  | 25.0     |
| 10 | *Containing 0.1% Phthalocyanine Blue 22005 ex Anstead International |          |
|    | Polyvinyl alcohol supplied by British Traders                       |          |
|    | (Manugel DMB ex Nutrasweet Kelco)                                   |          |

Composition of Fragrance A

|    |                          |      |
|----|--------------------------|------|
|    |                          | %w/w |
| 15 | Dodecanal                | 1.25 |
|    | Methylnonyl acetaldehyde | 2.5  |
|    | Allyl amyl glycollate    | 1.5  |
|    | Anethole synthetic       | 0.2  |
|    | Benzyl salicylate        | 15.0 |
| 20 | Carvone laevo            | 0.1  |
|    | Cedramber                | 4.4  |
|    | Cis-3-hexenyl salicylate | 0.5  |
|    | Citronellol standard     | 2.5  |
|    | Coumarin                 | 1.0  |
| 25 | Damascone alpha          | 1.0  |
|    | Dihydro myrcenol         | 12.0 |
|    | Dipropylene glycol       | 6.38 |
|    | Eugenol                  | 0.8  |
|    | Tonalid                  | 9.0  |
| 30 | Heliotropin              | 0.7  |
|    | Hexyl cinnamic aldehyde  | 12.4 |
|    | Lavandin oil             | 0.7  |

|   |                                  |     |
|---|----------------------------------|-----|
|   | Lilial                           | 8.0 |
|   | Linalol                          | 4.0 |
|   | Methyl dihydro jasmnonate        | 7.0 |
|   | Oakmoss synthetic                | 0.3 |
| 5 | Para t-butyl cyclo hexyl acetate | 6.0 |
|   | Patchouli oil                    | 2.5 |
|   | Undecalactone gamma              | 1.2 |

The emulsion was sprayed as droplets into a reservoir of 5% aqueous calcium chloride, resulting in irreversible cross-linking of the alginate to produce generally spherical encapsulates. The encapsulates were removed from the calcium chloride solution after approximately 60 seconds. The encapsulates were washed in distilled water to remove free chloride ions and suspended in distilled water for storage. The encapsulates had a diameter of about 1mm in the present case, obtained in known manner by regulating factors including emulsion viscosity, spray pump speed, spray nozzle size and distance from spray nozzle to calcium chloride solution. The encapsulates could be stored in hydrated form for extended periods of time (at least 6 months) without significant loss of fragrance.

The encapsulates were incorporated into a laundry liquid formulation LL1, as specified below, in an amount for the fragrance to constitute 0.4% by weight of the total weight of the laundry liquid, using standard mixing techniques. The laundry liquid base was that of a generally conventional water-based detergent. The encapsulates were incorporated intact in the laundry liquid and remained stable in the base for extended periods (at least 6 months).

#### Laundry liquid formulation LL1

|    |                 | Weight %    |
|----|-----------------|-------------|
| 25 | Nansa SL 30     | 37.70       |
|    | Texapon N70 LS  | 4.60        |
|    | Luviskol K30    | 1.00        |
|    | Antifoam        | 0.1         |
|    | Sodium Citrate  | 15.0        |
| 30 | Borax           | 0.5         |
|    | Sodium Silicate | 5.0         |
|    | Glycerol        | 1.0         |
|    | Purified water  | to 100      |
|    | Preservative    | as required |

Nansa SL 30 is a 30% active sodium dodecyl benzene sulphonate ex. Albright & Wilson.  
 Texapon N70 LS is a 70% active sodium lauryl ether sulphate ex. Henkel Chemicals Ltd.  
 Luviskol K 30 is polyvinylpyrrolidone having an average Molecular weight of 40,000 ex.  
 BASF Ltd.

- 5 Antifoam Emulsion ex. Dow Corning  
 Borax ex. Borax Consolidated Ltd.

### Example 2

- Sensory evaluation tests were carried out by a team of evaluators on cloths washed with a  
 laundry liquid containing capsules as detailed in Example 1, compared to the laundry liquid  
 10 (LL1) containing 0.4% of the fragrance A (not encapsulated). The wash procedure is  
 detailed below.

- A shirt, a pillow case and a towel made up the bulk of the cloth used in the wash test, three  
 test cloths were also included which were 30 X 30cm desized terry towelling, bulked acrylic  
 and polycotton. The washing machines used were European horizontal drum Miele  
 15 machines. 100ml of each laundry liquid was dosed in to separate machines and set on a  
 quick wash 40 program. The wash programs were started simultaneously. The quick wash  
 40 program was carried out at 40°C for 40 minutes.

- The test cloths were removed from the machines and evaluated damp and after drying over  
 a 12 hour period. Evaluation of the cloths by the panel indicated that the cloths washed with  
 20 the encapsulate system were more fragrant and fresher than the cloths wash with an  
 equivalent amount of the neat fragrance in base (not encapsulated).

### Example 3

Fragrance encapsulates were prepared by making an emulsion of the following ingredients  
 using a Silverson:

|    |                                |          |
|----|--------------------------------|----------|
| 25 |                                | Weight % |
|    | Sodium Alginate (Manugel DMB)  | 0.8      |
|    | Gellan Gum (Kelcogel F)        | 0.05     |
|    | Distilled water                | 71.75    |
|    | Colloidal silica (Ludox HS 40) | 2.0      |
| 30 | PGA (Kelcoloid S)              | 0.4      |
|    | Fragrance A*                   | 25.0     |

\* Containing 0.1% Phthalocyanine Blue 22005 ex Anstead International

Sodium Alginate ex NutraSweet Kelco

Polyvinyl alcohol supplied by British Traders

Gellan Gum (Kelcogel F) ex NutraSweet Kelco

Colloidal silica (Ludox) ex Du Pont

- 5 PGA: Propylene Glycol Alginate (Kelcoloid S ex NutraSweet Kelco)

The emulsion was sprayed into a reservoir of aqueous calcium chloride and washed with distilled water as detailed in Example 1. The encapsulates were then incorporated into the laundry liquid formulation (LL1) in an amount to constitute 0.4% fragrance by weight, using standard mixing techniques. The combination of gums was found to greatly reduce fragrance leaching from the capsule system over 2 months storage at 45°, and still dissolved releasing the fragrance on dilution.

10

#### Example 4

Jojoba oil encapsulates were prepared by making an emulsion of the following ingredients using a Silverson mixer:

|    |                                    |          |
|----|------------------------------------|----------|
| 15 |                                    | Weight % |
|    | Sodium Alginate (Manugel DMB)      | 0.8      |
|    | Polyvinyl alcohol KL.05 (Gohsenol) | 1.0      |
|    | Distilled water                    | 72.2     |
|    | JoJoba oil*                        | 25.0     |

- 20 \* Containing 0.1% Phthalocyanine Blue 22005 ex Anstead International  
Sodium Alginate ex NutraSweet Kelco  
Polyvinyl alcohol supplied by British Traders

The emulsion was sprayed into a reservoir of aqueous calcium chloride and washed with distilled water as detailed in Example 1. The encapsulates were then incorporated into a standard laundry liquid detergent (LL1) in an amount to constitute 0.4% oil by weight. The capsules remained stable until dilution of the detergent, with only slight leaching of the oil over storage.

25

#### Example 5

Dilution release trial were carried out on laundry liquid samples containing the encapsulate system as detailed in Example 1. The test method involved the dilution of 2.5g of the laundry liquid in a 300 ml glass jar, with 200g of tap water. The sample was placed on a

30

Luckham Multimix MM1 Rock-roller, and complete dissolution of the capsules occurred at all water temperatures between 10 to 50°C.

CLAIMS

1. A liquid detergent composition comprising greater than 5% by weight of surfactant and an encapsulate comprising greater than 10% by weight of the encapsulate of active material, in an alginate matrix.
- 5 2. A detergent composition according to claim 1 wherein the surfactant is present at a concentration in the range from 5 to 50% by weight.
3. A detergent composition according to claim 2 wherein the surfactant is present at a concentration in the range from 10 to 30% by weight.
4. A detergent composition according to any one of the preceding claims wherein the  
10 surfactant is selected from the group consisting of anionic, nonionic, amphoteric and zwitterionic surfactants and mixtures thereof.
5. A detergent composition according to any one of the preceding claims wherein the the active material comprises a fragrance.
6. A detergent composition according to any one of the preceding claims wherein the active  
15 material is present in an amount up to 60%, preferably in the range from 10 to 60%, more preferably 20 to 60%, and particularly 25 to 30% by weight of the encapsulate.
7. A detergent composition according to any one of the preceding claims wherein the alginate is present in an amount up to 5%, preferably up to 1% by weight of the encapsulate.
- 20 8. A detergent composition according to any one of the preceding claims wherein the alginate matrix is hydrated.
9. A detergent composition according to any one of the preceding claims wherein the alginate matrix is cross-linked.
10. A liquid detergent composition comprising greater than 5% by weight of surfactant and  
25 an encapsulate comprising greater than 0.5% by weight of the encapsulate of fragrance, in an alginate matrix.

11. A laundry liquid comprising greater than 5% by weight of surfactant and an encapsulate comprising active material in an alginate matrix.

12. A laundry liquid according to claim 11 wherein the liquid comprises in the range from 5 to 50% by weight of anionic surfactant.

5 13. A laundry liquid according to either one of claims 11 and 12 wherein the liquid additionally comprises in the range from 5 to 80% by weight of builder.

Abstract

A liquid detergent composition contains greater than 5% by weight of surfactant and an encapsulate containing greater than 10% by weight of active material in an alginate matrix.

The active material is preferably a fragrance. The detergent composition is particularly

5 suitable for use as a laundry liquid.